



Certified to ISO 9001:2015 with Design

RODIX, Inc. Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0003



The 026-500-0003 is a .25 cubic foot standard front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 0.25 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

.25 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0008



The 026-500-0008 is a .25 cubic foot standard front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 0.25 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

.25 CuFt, 304 Stainless Steel, 120VAC
coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0013



The 026-500-0013 is a .5 cubic foot standard front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 0.5 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

.5 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0018



The 026-500-0018 is a .5 cubic foot standard front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 0.5 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

.5 CuFt, 304 Stainless Steel, 120VAC
coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0023



The 026-500-0023 is a .8 cubic foot standard front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 0.8 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

.8 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0028



The 026-500-0028 is a .8 cubic foot standard front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 0.8 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

.8 CuFt, 304 Stainless Steel, 120VAC
coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0033



The 026-500-0033 is a 1 cubic foot standard front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 1.0 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

1 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0038



The 026-500-0038 is a 1 cubic foot standard front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 1.0 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

1 CuFt, 304 Stainless Steel, 120VAC
coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0043



The 026-500-0043 is a 2 cubic foot standard front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 2.0 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

2 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0048



The 026-500-0048 is a 2 cubic foot standard front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 2.0 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

2 CuFt, 304 Stainless Steel, 120VAC
coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Bulk Storage Hoppers

026-500-0053

The 026-500-0053 is a 3 cubic foot standard front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 3.0 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

3 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0058



The 026-500-0058 is a 3 cubic foot standard front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 3.0 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

3 CuFt, 304 Stainless Steel, 120VAC
coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Bulk Storage Hoppers

026-500-0063

The 026-500-0063 is a 4 cubic foot standard front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 4.0 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

4 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0068



The 026-500-0068 is a 4 cubic foot standard front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 4.0 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

4 CuFt, 304 Stainless Steel, 120VAC
coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0074



The 026-500-0074 is a 5 cubic foot standard front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 5.0 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

5 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products

Bulk Storage Hoppers

026-500-0079



The 026-500-0079 is a 5 cubic foot standard front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 5.0 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Standard Front Hopper

5 CuFt, 304 Stainless Steel, 120VAC
coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Bulk Storage Hoppers

026-500-0113

The 026-500-0113 is a 1 cubic foot straight front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 1.0 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Straight Front Hopper

1 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Shown as CRS

Bulk Storage Hoppers

026-500-0115

The 026-500-0115 is a 1 cubic foot straight front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 1.0 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Straight Front Hopper

1 CuFt, 304 Stainless Steel, 120VAC
coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Bulk Storage Hoppers

026-500-0123

The 026-500-0123 is a 2 cubic foot straight front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 2.0 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Straight Front Hopper

2 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Shown as CRS

Bulk Storage Hoppers

026-500-0125

The 026-500-0125 is a 2 cubic foot straight front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 2.0 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Straight Front Hopper

2 CuFt, 304 Stainless Steel, 120VAC
coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Bulk Storage Hoppers

026-500-0133

The 026-500-0133 is a 3 cubic foot straight front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 3.0 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Straight Front Hopper

3 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Shown as CRS

Bulk Storage Hoppers

026-500-0135

The 026-500-0135 is a 3 cubic foot straight front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 3.0 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Straight Front Hopper

3 CuFt, 304 Stainless Steel, 120VAC
coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Bulk Storage Hoppers

026-500-0143

The 026-500-0143 is a 4 cubic foot straight front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 4.0 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Straight Front Hopper

4 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Shown as CRS

Bulk Storage Hoppers

026-500-0145

The 026-500-0145 is a 4 cubic foot straight front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 4.0 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Straight Front Hopper

4 CuFt, 304 Stainless Steel, 120VAC
coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Bulk Storage Hoppers

026-500-0153

The 026-500-0153 is a 5 cubic foot straight front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 5.0 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Straight Front Hopper

5 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Shown as CRS

Bulk Storage Hoppers

026-500-0155

The 026-500-0155 is a 5 cubic foot straight front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 5.0 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Straight Front Hopper

5 CuFt, 304 Stainless Steel, 120VAC
coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Bulk Storage Hoppers

026-500-0163

The 026-500-0163 is a 6 cubic foot straight front CRS hopper, primed, with a 120V coil only. Does not include limit switch and paddle.

Size: 6.0 cubic foot

Material: CRS

Switch: Does not include limit switch and paddle

Type: Straight Front Hopper

6 CuFt, CRS, Primed, 120VAC coil



Certified to ISO 9001:2015 with Design

RODIX, Inc.

Vibratory Feeder Controls and Drive Products



Shown as CRS

Bulk Storage Hoppers

026-500-0165

The 026-500-0165 is a 6 cubic foot straight front 304 stainless steel hopper with a 120V coil only. Does not include limit switch and paddle. Bead blast finish. Polishing option available.

Size: 6.0 cubic foot

Material: Stainless Steel

Switch: Does not include limit switch and paddle

Type: Straight Front Hopper

6 CuFt, 304 Stainless Steel, 120VAC
coil